


U.S. Patent Application No. 09/672,328  
Art Unit: 1625  
Page 2

### AMENDMENTS TO THE CLAIMS

1. (currently amended) A pigment product ~~comprising a pigment~~ having attached a) at least one steric group and b) at least one organic ionic group with at least one amphiphilic counterion, wherein said amphiphilic counterion has a charge opposite to that of said organic ionic group, and wherein said pigment ~~comprises~~ is a blue pigment, black pigment, white pigment, brown pigment, cyan pigment, green pigment, violet pigment, magenta pigment, red pigment, yellow pigment, orange pigment, shades thereof, or a combination thereof.

2. (currently amended) The pigment product of claim 1, wherein said steric group has the formula:



wherein X is attached to the pigment and is a substituted or unsubstituted arylene group or alkylene group, Sp represents a spacer group, NIon represents a non-ionic group, R is hydrogen, ~~a substituted or unsubstituted~~ an aromatic group, or a ~~substituted or unsubstituted~~, branched or unbranched alkyl group, and p represents an integer of from 1 to 500; and wherein the spacer group is a bond or a chemical group selected from the group consisting of: CO<sub>2</sub>, O<sub>2</sub>C, SO<sub>2</sub>, CO, NHCO, CONR", NR"CO<sub>2</sub>, OCNR", NR"CONR", O, S, NR", SO<sub>2</sub>C<sub>2</sub>H<sub>4</sub>, arylene, alkylene, NR"CO, NHCO<sub>2</sub>, O<sub>2</sub>CNH, and NCHONH, wherein R", which can be the same or different, represents ~~a substituted or unsubstituted~~ an aryl or alkyl group.

3. (previously presented) The pigment of claim 2, wherein NIon is a C<sub>1</sub>-C<sub>12</sub> alkyl group or a C<sub>1</sub>-C<sub>12</sub> alkylene oxide group.

4. (previously presented) The pigment product of claim 2, wherein said non-ionic group is substituted with a functional group.

U.S. Patent Application No. 09/672,328  
Art Unit: 1625  
Page 3

5. (previously presented) The pigment product of claim 2, wherein said non-ionic group is a glycol group.

6. (previously presented) The pigment product of claim 2, wherein X is an aromatic group.


7. (previously presented) The pigment product of claim 2, wherein p is 1 to 50.

8. (currently amended) The pigment product of claim 1, wherein said steric group has the formula:



wherein X is attached to the pigment and is ~~a-substituted or unsubstituted~~ an arylene group or alkylene group, Sp represents a spacer group, m is an integer of from 1 to 12, p is an integer from 1 to 500, and R is hydrogen, a ~~substituted or unsubstituted~~, branched or unbranched alkyl group, or a ~~substituted or unsubstituted~~ an aromatic group; and wherein the spacer group is a bond or a chemical group selected from the group consisting of: CO<sub>2</sub>, O<sub>2</sub>C, SO<sub>2</sub>, CO, NHCO, CONR", NR"CO<sub>2</sub>, OCNR", NR"CONR", O, S, NR", SO<sub>2</sub>C<sub>2</sub>H<sub>4</sub>, arylene, alkylene, NR"CO, NHCO<sub>2</sub>, O<sub>2</sub>CNH, and NCHONH, wherein R", which can be the same or different, represents ~~a-substituted or unsubstituted~~ an aryl or alkyl group.

9. (currently amended) The pigment product of claim 1, wherein said steric group has the formula:



wherein X is attached to the pigment and is ~~a-substituted or unsubstituted~~ an arylene group or at least an alkylene group; Sp represents a spacer group, A represents an alkylene oxide group of from about 1 to about 12 carbons; p represents an integer of from 1 to 500; and R represents hydrogen, a ~~substituted or unsubstituted~~, branched or unbranched alkyl group or a ~~substituted or unsubstituted~~ an aromatic group wherein A can be the same or different when p is greater than 1; and wherein the spacer group is a bond or a chemical group selected from the group

U.S. Patent Application No. 09/672,328

Art Unit: 1625

Page 4

consisting of: CO<sub>2</sub>, O<sub>2</sub>C, SO<sub>2</sub>, CO, NHCO, CONR", NR"CO<sub>2</sub>, OCNR", NR"CONR", O, S, NR", SO<sub>2</sub>C<sub>2</sub>H<sub>4</sub>, arylene, alkylene, NR"CO, NHCO<sub>2</sub>, O<sub>2</sub>CNH, and NCHONH, wherein R", which can be the same or different, represents ~~a substituted or unsubstituted~~ an aryl or alkyl group.

10. (previously presented) The pigment product of claim 9, wherein X is an aromatic group.
11. (previously presented) The pigment product of claim 9, wherein X is substituted with at least one functional group.
12. (previously presented) The pigment product of claim 9, wherein X is substituted with a carboxylic group or a sulfonate group.
13. (previously presented) The pigment product of claim 9, wherein p is from 1 to 25.
14. (previously presented) The pigment product of claim 9, wherein p is from 26 to 50.
15. (previously presented) The pigment product of claim 9, wherein R is an aromatic group.
16. (previously presented) The pigment product of claim 9, wherein m is 2, p is 44-45, R is a methyl group, and X is a benzoyl group.
17. (previously presented) The modified pigment product of claim 9, wherein m is 2, p is 22, R is a methyl group, and X is a benzoyl group.
18. (previously presented) The pigment product of claim 9, wherein m is 2, p is 44-45, R is hydrogen, and X is a benzoyl group.

U.S. Patent Application No. 09/672,328  
Art Unit: 1625  
Page 5

19. (previously presented) The pigment product of claim 9, wherein m is 2, p is 7, R is a methyl group, and X is a benzoyl group.

20. (currently amended) The pigment product of claim 1, wherein said steric group has the formula:



wherein X is attached to the pigment and is ~~a substituted or unsubstituted~~ an arylene group or alkylene group; Sp represents a spacer group, "polymer" represents a polymeric group having repeating monomer groups or multiple monomer groups or both, optionally having at least one -X' group; R represents hydrogen, a bond, a ~~substituted or unsubstituted~~, branched or unbranched alkyl group, or a ~~substituted or unsubstituted~~ an aromatic group; wherein X' is a ~~substituted or unsubstituted~~ an aromatic group, arylene group, alkyl group, or alkylene group, each X' and X can be the same or different; and the total amount of monomer groups of "polymer" is not greater than about 500 monomer repeating units, and when R represents a bond, R optionally bonds to said pigment; and wherein the spacer group is a bond or a chemical group selected from the group consisting of: CO<sub>2</sub>, O<sub>2</sub>C, SO<sub>2</sub>, CO, NHCO, CONR", NR"CO<sub>2</sub>, OCNR", NR"CONR", O, S, NR", SO<sub>2</sub>C<sub>2</sub>H<sub>4</sub>, arylene, alkylene, NR"CO, NHCO<sub>2</sub>, O<sub>2</sub>CNH, and NCHONH, wherein R", which can be the same or different, represents a ~~substituted or unsubstituted~~ an aryl or alkyl group.

21. (previously presented) An ink composition comprising a) at least one liquid vehicle; b) at least one pigment product of claim 1.

22. (original) The ink composition of claim 21, wherein said liquid vehicle is aqueous.

23. (original) The ink composition of claim 21, wherein said liquid vehicle is non-aqueous.

U.S. Patent Application No. 09/672,328  
Art Unit: 1625  
Page 6

24. (original) The ink composition of claim 21, wherein said ink composition is an inkjet ink composition.
25. (original) The ink composition of claim 21, further comprising at least one humectant, at least one binder, at least one dye, at least one biocide, at least one penetrant, at least one surfactant, or combinations thereof.
26. (original) The ink composition of claim 21, wherein said pigment is carbon black, graphite, vitreous carbon, finely-divided carbon, activated carbon, activated charcoal, or mixtures thereof.
27. (original) The ink composition of claim 21, wherein said pigment is carbon black.
28. (cancelled)
29. (previously presented) A printing plate comprising: a substrate, a protective layer located onto said substrate, and an infrared or near-infrared radiation-absorptive layer located on said protective layer, wherein said radiation-absorptive layer comprises at least one pigment of claim 1.
30. (original) A method of imaging a lithographic printing plate of claim 29, comprising selectively exposing the plate to a laser output in a pattern representing an image to selectively remove or chemically modify at least the radiation-absorptive layer defining the pattern.
31. (original) The method of claim 29, further comprising subjecting the plate to a solvent capable of removing portions of the imaged layer(s) defining the pattern.